

PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM	Books
Search	PubMed	<input type="checkbox"/> for					Go	Clear
		Limits	Preview/Index	History	Clipboard	Details		

Display	Abstract	<input type="checkbox"/> Sort	<input type="checkbox"/>	Save	Text	Clip Add	Order
---------	----------	-------------------------------	--------------------------	------	------	----------	-------

Entrez
PubMed

☐ 1: Acta Biochim Pol 1999;46(2):431-45

Related Articles, Books, LinkOut

Nonsymbiotic haemoglobins in plants.

Sowa AW, Guy PA, Sowa S, Hill RD.

Plant Breeding and Acclimatization Institute, Radzikow, Blonie, Poland.

PubMed
Services

General aspects regarding the presence of nonsymbiotic haemoglobin in plants are presented with the emphasis on those related to its function. As it becomes apparent that the nonsymbiotic haemoglobins are widespread across the plant kingdom and that they represent a more primitive and evolutionary older form of the plant globin genes, the question of their function becomes more attractive. While the physiological functions of the symbiotic haemoglobins in plants are well understood, almost nothing is known about their nonsymbiotic predecessors. Therefore, the known and hypothetical functions of haemoglobins in various systems are described along with information concerning properties and the regulation of expression of the nonsymbiotic haemoglobins. Interestingly, a number of nonsymbiotic haemoglobins have been shown to be hypoxia-inducible. The spatial and temporal pattern of this induction in barley may suggest that it is an integral part of the plants response to limiting oxygen stress.

Related
Resources

Publication Types:

- Review
- Review, Tutorial

PMID: 10547043 [PubMed - indexed for MEDLINE]

Display	Abstract	<input type="checkbox"/> Sort	<input type="checkbox"/>	Save	Text	Clip Add	Order
---------	----------	-------------------------------	--------------------------	------	------	----------	-------

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

i686-pc-4muc-gnu Jun 12 2002 10:20:00



PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM	Books
Search PubMed	for nonsymbiotic plant hemoglobin and stress						Go	Clear
Limits Preview/Index History Clipboard Details								

Display	Summary	Sort	Save	Text	Clip Add	Order
Show: 20	Items 1-2 of 2					One page.

Entrez
PubMed

☐ 1: Sowa AW, Guy PA, Sowa S, Hill RD.

[Related Articles](#)

Nonsymbiotic haemoglobins in plants.

Acta Biochim Pol. 1999;46(2):431-45. Review.

PMID: 10547043 [PubMed - indexed for MEDLINE]

☐ 2: Hendriks T, Scheer I, Quillet MC, Randoux B, Delbreil B, Vasseur J, Hilbert JL. [Related Articles](#), [Nucleotide](#), [Protein](#)

PubMed
Services

A nonsymbiotic hemoglobin gene is expressed during somatic embryogenesis in Cichorium.

Biochim Biophys Acta. 1998 Nov 26;1443(1-2):193-7.

PMID: 9838109 [PubMed - indexed for MEDLINE]

Related
Resources

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

i686-pc-linux-gnu Jun 12 2002 10:20:00



PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM	Books
Search PubMed	for						Go	Clear
Limits Preview/Index History Clipboard Details								

Display	Abstract	Sort	Save	Text	Clip Add	Order
---------	----------	------	------	------	----------	-------

Entrez
PubMed

☐ 1: Biochim Biophys Acta 1998 Nov
26;1443(1-2):193-7

[Related Articles](#), [Nucleotide](#), [Protein](#),
[Books](#), [LinkOut](#)

A nonsymbiotic hemoglobin gene is expressed during somatic embryogenesis in Cichorium.

PubMed
Services

Hendriks T, Scheer I, Quillet MC, Randoux B, Delbreil B, Vasseur J, Hilbert JL.

Laboratory of Plant Breeding, Agricultural University Wageningen, P. O. Box 386, 6700 AJ Wageningen, The Netherlands.

Related
Resources


After differential screening of a cDNA library corresponding to genes expressed during the early stages of somatic embryogenesis in leaf tissue from the Cichorium hybrid '474' (*C. intybus* L., var. *sativum* × *C. endivia* L., var. *latifolia*) a nonsymbiotic hemoglobin cDNA was obtained. Studies of the expression of the gene corresponding to this clone by Northern blot analysis suggest that in Cichorium a nonsymbiotic hemoglobin gene is specifically expressed under somatic embryogenesis-inducing conditions, and that its expression is not related to stress caused by wounding or tissue culture conditions.

PMID: 9838109 [PubMed - indexed for MEDLINE]

Display	Abstract	Sort	Save	Text	Clip Add	Order
---------	----------	------	------	------	----------	-------

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

i686-pc-linux-gnu Jun 12 2002 10:20:00



PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM	Books
Search PubMed	for nonsymbiotic hemoglobin						Go	Clear
Limits		Preview/Index		History		Clipboard		Details

Display	Summary	Sort	Save	Text	Clip Add	Order
Show: 20	Items 1-7 of 7					One page.

Entrez
PubMed

☐ 1: Goodman MD, Hargrove MS.

Related Articles

Quaternary structure of rice nonsymbiotic hemoglobin.
J Biol Chem. 2001 Mar 2;276(9):6834-9.
PMID: 11106662 [PubMed - indexed for MEDLINE]

PubMed
Services

☐ 2: Wang R, Guegler K, LaBrie ST, Crawford NM.

Related Articles

Genomic analysis of a nutrient response in Arabidopsis reveals diverse expression patterns and novel metabolic and potential regulatory genes induced by nitrate.
Plant Cell. 2000 Aug;12(8):1491-509.
PMID: 10948265 [PubMed - indexed for MEDLINE]

Related
Resources

☐ 3: Hendriks T, Scheer I, Quillet MC, Randoux B, Delbreil B, Vasseur J, Hilbert JL.

Related Articles, Nucleotide, Protein

A nonsymbiotic hemoglobin gene is expressed during somatic embryogenesis in Cichorium.
Biochim Biophys Acta. 1998 Nov 26;1443(1-2):193-7.
PMID: 9838109 [PubMed - indexed for MEDLINE]

☐ 4: Trevaskis B, Watts RA, Andersson CR, Llewellyn DJ, Hargrove MS, Olson JS, Dennis ES, Peacock WJ.

Related Articles, Nucleotide, **Free in PMC**, Protein

Two hemoglobin genes in Arabidopsis thaliana: the evolutionary origins of leghemoglobins.
Proc Natl Acad Sci U S A. 1997 Oct 28;94(22):12230-4.
PMID: 9342391 [PubMed - indexed for MEDLINE]

☐ 5: Andersson CR, Llewellyn DJ, Peacock WJ, Dennis ES.

Related Articles, Nucleotide

Cell-specific expression of the promoters of two nonlegume hemoglobin genes in a transgenic legume, Lotus corniculatus.
Plant Physiol. 1997 Jan;113(1):45-57.
PMID: 9008386 [PubMed - indexed for MEDLINE]

☐ 6: Anderson CR, Jensen EO, Llewellyn DJ, Dennis ES, Peacock WJ.

Related Articles, Nucleotide, **Free in PMC**, Protein

A new hemoglobin gene from soybean: a role for hemoglobin in all plants.
Proc Natl Acad Sci U S A. 1996 Jun 11;93(12):5682-7.
PMID: 8650152 [PubMed - indexed for MEDLINE]

☐ 7: Jacobsen-Lyon K, Jensen EO, Jorgensen JE, Marcker KA, Peacock WJ, Dennis ES.

Related Articles

Symbiotic and nonsymbiotic hemoglobin genes of Casuarina glauca.


Plant Cell. 1995 Feb;7(2):213-23.

PMID: 7756831 [PubMed - indexed for MEDLINE]

Display	Summary	▼	Sort	▼	Save	Text	Clip Add	Order
Show:	20	▼	Items 1-7 of 7				One page.	

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

i686-pc-linux-gnu Jun 12 2002 10:20:00



PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIM	Books
Search	PubMed	<input type="text"/>	for	<input type="text"/>	Go	Clear		
		Limits	Preview/Index	History	Clipboard	Details		
Display	Abstract	<input type="text"/>	Sort	<input type="text"/>	Save	Text	Clip Add	Order

Entrez
PubMed☐ 1: Plant Cell 1995 Feb;7(2):213-23

Related Articles, Books, LinkOut

Symbiotic and nonsymbiotic hemoglobin genes of *Casuarina glauca*.

Jacobsen-Lyon K, Jensen EO, Jorgensen JE, Marcker KA, Peacock WJ, Dennis ES.

PubMed
Services

Commonwealth Scientific and Industrial Research Organization, Division of Plant Industry, Canberra, Australia.

Related
Resources

Casuarina glauca has a gene encoding hemoglobin (cashb-nonsym). This gene is expressed in a number of plant tissues. *Casuarina* also has a second family of hemoglobin genes (cashb-sym) expressed at a high level in the nodules that *Casuarina* forms in a nitrogen-fixing symbiosis with the actinomycete *Frankia*. Both the nonsymbiotic and symbiotic genes retained their specific patterns of expression when introduced into the legume *Lotus corniculatus*. We interpret this finding to mean that the controls of expression of the symbiotic gene in *Casuarina* must be similar to the controls of expression of the leghemoglobin genes that operate in nodules formed during the interaction between rhizobia and legumes. Deletion analyses of the promoters of the *Casuarina* symbiotic genes delineated a region that contains nodulin motifs identified in legumes; this region is critical for the controlled expression of the *Casuarina* gene. The finding that the nonsymbiotic *Casuarina* gene is also correctly expressed in *L. corniculatus* suggests to us that a comparable non-symbiotic hemoglobin gene will be found in legume species.

PMID: 7756831 [PubMed - indexed for MEDLINE]

Display	Abstract	<input type="text"/>	Sort	<input type="text"/>	Save	Text	Clip Add	Order
---------	----------	----------------------	------	----------------------	------	------	----------	-------

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

i686-pc-linux-gnu Jun 12 2002 10:20:00